

WILDLIFE , WIRELESS AND NON IONIZING ELECTROMAGNETIC FIELDS

SCIENTIFIC RESEARCH

Balmori, A. (2015). Anthropogenic radiofrequency electromagnetic fields as an emerging threat to wildlife orientation. *Science of The Total Environment*, 518-519, 58-60.

Balmori A. (2014). Electrosmog and species conservation. *Science of The Total Environment*, 496:314-316

Cucurachi, S., Tamis, W. L. M., Vijver, M. G., Peijnenburg, W. J. G. M., Bolte, J. F. B., & de Snoo, G. R. (2013). A review of the ecological effects of radiofrequency electromagnetic fields (RF-EMF). *Environment International*, 51, 116-140.

Levitt BB, Lai HC and Manville AM II (2022) Low-level EMF effects on wildlife and plants: What research tells us about an ecosystem approach. *Front. Public Health* 10:1000840. doi: 10.3389/fpubh.2022.1000840

Levitt, B. B., Lai, H. C., & Manville, A. M. (2021). Effects of non-ionizing electromagnetic fields on flora and fauna, Part 3. Exposure standards, public policy, laws, and future directions. *Reviews on Environmental Health*.

Levitt, B. B., Lai, H. C., & Manville, A. M. (2022a). Effects of non-ionizing electromagnetic fields on flora and fauna, part 1. Rising ambient EMF levels in the environment. *Reviews on Environmental Health*, 37(1), 81-122.

Levitt, B. B., Lai, H. C., & Manville, A. M. (2022b). Effects of non-ionizing electromagnetic fields on flora and fauna, Part 2 impacts: How species interact with natural and man-made EMF. *Reviews on Environmental Health*, 37(3), 327-406.

BIRDS

Balmori A. (2022). Corneal opacity in Northern Bald Ibises (*Geronticus eremita*) equipped with radio transmitters. *Electromagnetic Biol Med*.174-176.

Fernie, K. J., & Reynolds, S. J. (2005). The effects of electromagnetic fields from power lines on avian reproductive biology and physiology: A review. *Journal of Toxicology and Environmental Health. Part B, Critical Reviews*, 8(2), 127-140

Schwarze, S., Schneider, N.-L., Reichl, T., Dreyer, D., Lefeldt, N., Engels, S., Baker, N., Hore, P. J., & Mouritsen, H. (2016). Weak Broadband Electromagnetic Fields are More Disruptive to Magnetic Compass Orientation in a Night-Migratory Songbird (*Erithacus rubecula*) than Strong Narrow-Band Fields. *Frontiers in Behavioral Neuroscience*, 10.

Tonelli, B. A., Youngflesh, C., & Tingley, M. W. (2023). Geomagnetic disturbance associated with increased vagrancy in migratory landbirds. *Scientific Reports*, 13(1), Article 1.

Wiltshko, R., Thalau, P., Gehring, D., Nießner, C., Ritz, T., & Wiltshko, W. (2015). Magnetoreception in birds: The effect of radio-frequency fields. *Journal of The Royal Society Interface*, 12(103), 20141103.

WILDLIFE , WIRELESS AND NON IONIZING ELECTROMAGNETIC FIELDS

SCIENTIFIC RESEARCH

POLLINATORS

A. Lázaro, A. Chroni, T. Tscheulin, J. Devalez, C. Matsoukas, & T. Petanidou. (2016). Electromagnetic radiation of mobile telecommunication antennas affects the abundance and composition of wild pollinators. *Journal of Insect Conservation*, 20(2), 315–324. <https://doi.org/10.1007/s10841-016-9868-8>

Adelaja, O. J., Ande, A. T., Abdulraheem, G. D., Oluwakorode, I. A., Oladipo, O. A., & Oluwajobi, A. O. (2021). Distribution, diversity and abundance of some insects around a telecommunication mast in Ilorin, Kwara State, Nigeria. *Bulletin of the National Research Centre*, 45(1), 222.

Balmori A. (2021) Electromagnetic radiation as an emerging driver factor for the decline of insects. *Science of the Total Environment*. 767: 144913

Borre, E. D., Joseph, W., Aminzadeh, R., Müller, P., Boone, M. N., Josipovic, I., Hashemizadeh, S., Kuster, N., Kühn, S., & Thielens, A. (2021). Radio-frequency exposure of the yellow fever mosquito (*A. aegypti*) from 2 to 240 GHz. *PLOS Computational Biology*, 17(10), e1009460.

Favre, D. (2011). Mobile phone-induced honeybee worker piping. *Apidologie*, 42(3), 270–279.

Fedele, G., Edwards, M. D., Bhutani, S., Hares, J. M., Murbach, M., Green, E. W., Dissel, S., Hastings, M. H., Rosato, E., & Kyriacou, C. P. (2014). Genetic analysis of circadian responses to low frequency electromagnetic fields in *Drosophila melanogaster*. *PLoS Genetics*, 10(12), e1004804.

Lee, K.-S., Choi, J.-S., Hong, S.-Y., Son, T.-H., & Yu, K. (2008). Mobile phone electromagnetic radiation activates MAPK signaling and regulates viability in *Drosophila*. *Bioelectromagnetics*, 29(5), 371–379.

Li, S.-S., Zhang, Z.-Y., Yang, C.-J., Lian, H.-Y., & Cai, P. (2013). Gene expression and reproductive abilities of male *Drosophila melanogaster* subjected to ELF-EMF exposure. *Mutation Research. Genetic Toxicology and Environmental Mutagenesis*, 758(1–2), 95–103.

Lopatina, N. G., Zachepilo, T. G., Kamyshev, N. G., Dyuzhikova, N. A., & Serov, I. N. (2019). Effect of Non-Ionizing Electromagnetic Radiation on Behavior of the Honeybee, *Apis mellifera* L. (Hymenoptera, Apidae). *Entomological Review*, 99(1), 24–29.

Lupi, D., Palamara Mesiano, M., Adani, A., Benocci, R., Giacchini, R., Parenti, P., Zambon, G., Lavazza, A., Boniotti, M. B., Bassi, S., Colombo, M., & Tremolada, P. (2021a). Combined Effects of Pesticides and Electromagnetic-Fields on Honeybees: Multi-Stress Exposure. *Insects*, 12(8), 716.

erator affects the sleep of *Drosophila melanogaster*. *Environmental Pollution (Barking, Essex: 1987)*, 283, 117087.

WILDLIFE , WIRELESS AND NON IONIZING ELECTROMAGNETIC FIELDS

SCIENTIFIC RESEARCH

Manta, A. K., Papadopoulou, D., Polyzos, A. P., Fragopoulou, A. F., Skouroliakou, A. S., Thanos, D., Stravopodis, D. J., & Margaritis, L. H. (2017). Mobile-phone radiation-induced perturbation of gene-expression profiling, redox equilibrium and sporadic-apoptosis control in the ovary of *Drosophila melanogaster*. *Fly*, 11(2), 75-95.

Mahmoud EA and Gabarty A (2021) "Impact of Electromagnetic Radiation on Honey Stomach Ultrastructure and the Body Chemical Element Composition of *Apis mellifera*." *African Entomology* 29(1), 32-41, (23 March).

Molina-Montenegro MA, Acuña-Rodríguez IS, Ballesteros GI, Baldelomar M, Torres-Díaz C, Broitman BR, Vázquez DP. (2023) Electromagnetic fields disrupt the pollination service by honeybees. *Sci Adv*. May 12;9(19)

Migdał, P., Berbeć, E., Bieńkowski, P., Plotnik, M., Murawska, A., & Latarowski, K. (2022b). Exposure to Magnetic Fields Changes the Behavioral Pattern in Honeybees (*Apis mellifera* L.) under Laboratory Conditions. *Animals: An Open Access Journal from MDPI*, 12(7), 855.

Odemer, R., & Odemer, F. (2019). Effects of radiofrequency electromagnetic radiation (RF-EMF) on honey bee queen development and mating success. *Science of The Total Environment*, 661, 553-562.

Santhosh Kumar, S. (2018). Colony Collapse Disorder (CCD) in Honey Bees Caused by EMF Radiation. *Bioinformation*, 14(9), 421-424.

Thielens, A., Bell, D., Mortimore, D. B., Greco, M. K., Martens, L., & Joseph, W. (2018). Exposure of Insects to Radio-Frequency Electromagnetic Fields from 2 to 120 GHz. *Scientific Reports*, 8(1), 3924.

Thielens A, Greco MK, Verloock L, Martens L, Joseph W. Radio-Frequency Electromagnetic Field Exposure of Western Honey Bees. *Scientific Reports*. 2020 Jan 16;10(1):461.

Wang, Y., Jiang, Z., Zhang, L., Zhang, Z., Liao, Y., & Cai, P. (2022b). 3.5-GHz radiofrequency electromagnetic radiation promotes the development of *Drosophila melanogaster*. *Environmental Pollution (Barking, Essex: 1987)*, 294, 118646.

Wang, Y., Zhang, H., Zhang, Z., Sun, B., Tang, C., Zhang, L., Jiang, Z., Ding, B., Liao, Y., & Cai, P. (2021). Simulated mobile communication frequencies (3.5 GHz) emitted by a signal generator affects the sleep of *Drosophila melanogaster*. *Environmental Pollution (Barking, Essex: 1987)*, 283, 117087.

AMPHIBIAN

Balmori A. (2010). Mobile phone mast effects on common frog (*Rana temporaria*) tadpoles: the city turned into a laboratory. *Electromagn Biol Med*. Jun;29 (1-2): 31-5.

Balmori, A. (2006). The incidence of electromagnetic pollution on the amphibian decline: Is this an important piece of the puzzle? *Toxicological & Environmental Chemistry*, 88(2), 287-299.

WILDLIFE , WIRELESS AND NON IONIZING ELECTROMAGNETIC FIELDS

SCIENTIFIC RESEARCH

PLANTS

Halgamuge, M. N. (2017). Review: Weak radiofrequency radiation exposure from mobile phone radiation on plants. *Electromagnetic Biology and Medicine*, 36(2), 213–235.

Halgamuge, M. N., Yak, S. K., & Eberhardt, J. L. (2015). Reduced growth of soybean seedlings after exposure to weak microwave radiation from GSM 900 mobile phone and base station. *Bioelectromagnetics*, 36(2), 87–95.

Haggerty, K. (2010). Adverse Influence of Radio Frequency Background on Trembling Aspen Seedlings: Preliminary Observations. *International Journal of Forestry Research*, 836278.

Kaur, S., Vian, A., Chandel, S., Singh, D. H., Batish, D., & Kohli, R. (2021). Sensitivity of plants to high frequency electromagnetic radiation: Cellular mechanisms and morphological changes. *Reviews in Environmental Science and Bio/Technology*, 20.

Soran, M.-L., Stan, M., Niinemets, Ü., & Copolovici, L. (2014). Influence of microwave frequency electromagnetic radiation on terpene emission and content in aromatic plants. *Journal of Plant Physiology*, 171(15), 1436–1443.

Stefi, A. L., Margaritis, L. H., & Christodoulakis, N. S. (2016). The effect of the non ionizing radiation on cultivated plants of Arabidopsis thaliana (Col.). *Flora*, 223, 114–120.

Waldmann-Selsam, C., Balmori-de la Puente, A., Breunig, H., & Balmori, A. (2016). Radiofrequency radiation injures trees around mobile phone base stations. *Science of The Total Environment*, 572, 554–569.

Zhong, Z., Wang, X., Yin, X., Tian, J., & Komatsu, S. (2021). Morphophysiological and Proteomic Responses on Plants of Irradiation with Electromagnetic Waves. *International Journal of Molecular Sciences*, 22(22), Article 22.

MARINE

Hutchison, Z. L., Gill, A. B., Sigray, P., He, H., & King, J. W. (2020). Anthropogenic electromagnetic fields (EMF) influence the behaviour of bottom-dwelling marine species. *Scientific Reports*, 10(1), 4219.

Scott, K., Harsanyi, P., Easton, B. A. A., Piper, A. J. R., Rochas, C. M. V., & Lyndon, A. R. (2021). Exposure to Electromagnetic Fields (EMF) from Submarine Power Cables Can Trigger Strength-Dependent Behavioural and Physiological Responses in Edible Crab, Cancer pagurus (L.). *Journal of Marine Science and Engineering*, 9(7), Article 7.

WILDLIFE , WIRELESS AND NON IONIZING ELECTROMAGNETIC FIELDS

SCIENTIFIC RESEARCH

PLANTS

Halgamuge, M. N. (2017). Review: Weak radiofrequency radiation exposure from mobile phone radiation on plants. *Electromagnetic Biology and Medicine*, 36(2), 213–235.

Halgamuge, M. N., Yak, S. K., & Eberhardt, J. L. (2015). Reduced growth of soybean seedlings after exposure to weak microwave radiation from GSM 900 mobile phone and base station. *Bioelectromagnetics*, 36(2), 87–95.

Haggerty, K. (2010). Adverse Influence of Radio Frequency Background on Trembling Aspen Seedlings: Preliminary Observations. *International Journal of Forestry Research*, 836278.

Kaur, S., Vian, A., Chandel, S., Singh, D. H., Batish, D., & Kohli, R. (2021). Sensitivity of plants to high frequency electromagnetic radiation: Cellular mechanisms and morphological changes. *Reviews in Environmental Science and Bio/Technology*, 20.

Soran, M.-L., Stan, M., Niinemets, Ü., & Copolovici, L. (2014). Influence of microwave frequency electromagnetic radiation on terpene emission and content in aromatic plants. *Journal of Plant Physiology*, 171(15), 1436–1443.

Stefi, A. L., Margaritis, L. H., & Christodoulakis, N. S. (2016). The effect of the non ionizing radiation on cultivated plants of Arabidopsis thaliana (Col.). *Flora*, 223, 114–120.

Waldmann-Selsam, C., Balmori-de la Puente, A., Breunig, H., & Balmori, A. (2016). Radiofrequency radiation injures trees around mobile phone base stations. *Science of The Total Environment*, 572, 554–569.

Zhong, Z., Wang, X., Yin, X., Tian, J., & Komatsu, S. (2021). Morphophysiological and Proteomic Responses on Plants of Irradiation with Electromagnetic Waves. *International Journal of Molecular Sciences*, 22(22), Article 22.

Additional Studies To Know

Balmori A. (2010). Mobile phone mast effects on common frog (Rana temporaria) tadpoles: the city turned into a laboratory. *Electromagn Biol Med*. Jun;29 (1-2): 31-5.

Hutchison, Z. L., Gill, A. B., Sigray, P., He, H., & King, J. W. (2020). Anthropogenic electromagnetic fields (EMF) influence the behaviour of bottom-dwelling marine species. *Scientific Reports*, 10(1), 4219.

Scott, K., Harsanyi, P., Easton, B. A. A., Piper, A. J. R., Rochas, C. M. V., & Lyndon, A. R. (2021). Exposure to Electromagnetic Fields (EMF) from Submarine Power Cables Can Trigger Strength-Dependent Behavioural and Physiological Responses in Edible Crab, Cancer pagurus (L.). *Journal of Marine Science and Engineering*, 9(7), Article